



## LiFePO4 Hybrid All In One Inverter Battery 5kw 10kw 110V 220V For Home

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: XWELL
- Certification: UN38.3, MSDS, UL, CB, BIS, PSE, GB4943.1 safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE
- Model Number: XW-3200W
- Minimum Order Quantity: 1 pcs
- Packaging Details: Carton
- Delivery Time: 7-10 working days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 pcs per month



### Product Specification

- Rated Power: 3200w
- Peak Power: 5000w
- Wave Type: Pure Sine Wave
- Pack Voltage: 51.2 V
- Charge Current: 50A
- Discharge Current: 100A
- Cell Type: LiFePO4 Cell
- Cycle Time: 6000 Cycles
- Pck Capacity: 100Ah - 200Ah
- Pack Energy: 5.0Kwh - 10.0kwh
- Highlight: Hybrid All In One Inverter Battery, LiFePO4 All In One Inverter Battery, 220V hybrid battery inverter

for more products please visit us on [esslithiumbattery.com](http://esslithiumbattery.com)

## Product Description

### All In One 5kw 10kw 15kw LiFePO4 Storage Battery And Single Phase 110V 220V Hybrid Inverter For Home Use

#### Attractive Design

Xwell Lithium battery has compact design, LCD screen, convenient setting buttons, bluetooth Monitor on your smartphones, and cables & accessories ready for installation.

To welcome the world cooperation we accept OEM with your logo design!

#### Wide Application

Xwell Lithium Ion Powerwall series are widely used in Solar Systems for residential and commercial use. With more than 6000 times deep cycle, up to 90% DOD and phosphate battery Cell, Xwell has won global approval!


#### Integrated Function

Xwell battery can be installed in parallel with combiner box for protection, with its integrated BMS communication protocol to comprehensive hybrid and off grid inverters!

#### All in One Energy Storage System Specification

Battery Parameters		
Model	51.2V100Ah	51.2V200Ah
Nominal voltage	51.2V	
Nominal capacity (kwh)	5KWh	10KWh
Cell type	LiFePO4	
Cycle life	>6000 Cycles(80%DOD)	
Charge temperature range	0~65°C	
Discharge temperature range	-20~65°C	
Maximum continuous charge current	50A	
Maximum continuous discharge current	100A	
Color	Black /White	
Dimension (mm)	710x300x600	710x300x800
Weight	81Kg	110Kg
Installation method	Floor type with wheels	
Inverter Parameters		
Rated power	3.2KW	
Peak power	5KW	
Output wave form	Pure sine wave	
Input/Output AC voltage	AC 110V/220V	
Input/Output AC voltage frequency	50Hz/60Hz	

#### All in One Energy Storage System Connection Diagram



#### Our service

1. OEM&ODM Service
2. Custom print logo
3. Free battery solution
4. Free Shipping cost to China address
5. Support sample order for test

#### Company Information

We are a technological innovation company, mainly engaged in R&D and sales of lithium battery and battery pack technology, focusing on the R&D and manufacturing of new energy storage products.

In the beginning of the company establishment in 2005, we occupied 40% market share in Guangdong Province with single-chip programming charging solution, and won exclusive orders from Wal-Mart, after 16 years continuously development, now the company has industry-leading lithium battery PACK R&D experience and manufacturing equipment, and a professional technical team provides one-stop service of new energy battery products for domestic and foreign customers regarding the industry needs.



**XWELL** GUANGDONG XWELL TECHNOLOGY CO., LTD.

+86 18620492985

sales@esslithiumbattery.com

esslithiumbattery.com

Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China